

L Number	Hits	Search Text	DB	Time stamp
1	0	request\$4 with password same send\$4 with password with email same forgot with password	USPAT; US-PGPUB; EPO; JPO	2004/07/29 14:02
2	2	(missing lost losing forget forgot) with password same request with password same send with password with email	USPAT; US-PGPUB; EPO; JPO	2004/07/29 14:05
3	6	(missing lost losing forget forgot) with password same send with password with email	USPAT; US-PGPUB; EPO; JPO	2004/07/29 14:05
4	4	(missing lost losing forget forgot) with password same send with password with email not ((missing lost losing forget forgot) with password same request with password same send with password with email)	USPAT; US-PGPUB; EPO; JPO	2004/07/29 14:14
5	88	chang\$4 with password same email with password	USPAT; US-PGPUB; EPO; JPO	2004/07/29 14:23
6	7	chang\$4 with password same email with password with new	USPAT; US-PGPUB; EPO; JPO	2004/07/29 14:15
7	8	chang\$4 with password same email with password same verif\$8	USPAT; US-PGPUB; EPO; JPO	2004/07/29 14:28
8	1	hash with (combine sum "xor" concatenate) with encrypt\$4 with id with (password passphrase pin)	USPAT; US-PGPUB; EPO; JPO	2004/07/29 14:50
9	10	lock\$4 with (terminal local client) same updat\$4 with (remote server database) same transmit\$4 with data	USPAT; US-PGPUB; EPO; JPO	2004/07/29 15:25
10	5	lock\$4 with local with (file data) with updat\$4 with server	USPAT; US-PGPUB; EPO; JPO	2004/07/29 15:26
16	29	lock\$4 with local same updat\$4 with remote	USPAT; US-PGPUB; EPO; JPO	2004/07/29 15:34
-	5575	(profile meta\$data "user data") with (data\$base repository server) same network	USPAT; US-PGPUB; EPO; JPO	2004/06/22 14:14
-	1135	(profile meta\$data "user data") with (data\$base repository server) same network and update with (profile meta\$data "user data")	USPAT; US-PGPUB; EPO; JPO	2004/06/08 17:19
-	3569	(profile meta\$data "user data") with (data\$base repository server) same network and update with (profile meta\$data "user data") and (authoriz\$4 authenticat\$4) with user	USPAT; US-PGPUB; EPO; JPO	2004/06/08 17:20
-	369	(authroiz\$4 authenticat\$4) with user and ((profile meta\$data "user data") with (data\$base repository server) same network and update with (profile meta\$data "user data"))	USPAT; US-PGPUB; EPO; JPO	2004/06/08 17:22
-	221	(authroiz\$4 authenticat\$4) with user and ((profile meta\$data "user data") with (data\$base repository server) same network and update with (profile meta\$data "user data")) and \$2crypt\$4	USPAT; US-PGPUB; EPO; JPO	2004/06/08 17:24
-	12	(authroiz\$4 authenticat\$4) with user and ((profile meta\$data "user data") with (data\$base repository server) same network and update with (profile meta\$data "user data")) and \$2crypt\$4 and (collect\$4 adapt\$4 chang\$4) with meta\$data with user	USPAT; US-PGPUB; EPO; JPO	2004/06/08 17:31
-	14630	profile.ti.	USPAT; US-PGPUB; EPO; JPO	2004/06/09 08:49
-	35568	(profile metadata data) with (repository database server) and (profile metadata data) with user	USPAT; EPO; JPO	2004/06/09 10:27
-	8139	(profile metadata data) with (repository database server) and (profile metadata data) with user and update with (profile metadata data)	USPAT; EPO; JPO	2004/06/09 10:28
-	2681	(profile metadata data) with (repository database server) and (profile metadata data) with user and update with (profile metadata data) with user	USPAT; EPO; JPO	2004/06/09 10:28

-	226	(profile metadata data) with (repository database server) and (profile metadata data) with user and update with (profile metadata data) with user and (upload copy move) with (changes new) with (server repository database)	USPAT; EPO; JPO	2004/06/09 10:29
-	78	(profile metadata data) with (repository database server) and (profile metadata data) with user and update with (profile metadata data) with user and (upload copy move) with (changes new) with (server repository database) and (authenticat\$4 authoriz\$4) with user not "international business machines".as.	USPAT; EPO; JPO	2004/06/09 10:35
-	167	profile with stor\$4 with (data\$base repository) same (download\$4 update get\$4 mov\$4 stor\$4) with profile with (local client workstation)	USPAT; EPO; JPO	2004/06/09 11:37
-	43	profile with stor\$4 with (data\$base repository) same (download\$4 update get\$4 mov\$4 stor\$4) with profile with (local client workstation) and authenticat\$4 with (user client workstation local)	USPAT; EPO; JPO	2004/06/09 16:13
-	118	store with user with preferences with (database repository)	USPAT; EPO; JPO	2004/06/09 16:13
-	79	store with user with preferences with (server database repository) and preferences with (computer client terminal workstation)	USPAT; EPO; JPO	2004/06/09 16:16
-	35	store with user with preferences with (server database repository) and preferences with (computer client terminal workstation) and (adapt update change) with preferences	USPAT; EPO; JPO	2004/06/09 16:16
-	1	("6546002").PN.	USPAT; EPO; JPO	2004/06/10 14:59
-	378	authenticat\$6 with user with (id identification) with (pass\$word pass\$phrase pin) with (address system server repository database)	USPAT; EPO; JPO	2004/06/10 15:02
-	6	authenticat\$6 with user with (id identification) with (pass\$word pass\$phrase pin) with (address system server repository database) and hash with user with (id identification)	USPAT; EPO; JPO	2004/06/10 15:24
-	6	authenticat\$6 with user with (id identification) with (pass\$word pass\$phrase pin) with (address system server repository database) and hash with user with (id identification)	USPAT; EPO; JPO	2004/06/10 15:32
-	58	webdav	USPAT; EPO; JPO	2004/06/10 15:32
-	4	webdav and user with profile	USPAT; EPO; JPO	2004/06/10 15:32
-	1	hash\$4 with encrypt\$4 with (id identification identifier) with (password pass\$phrase pin "personal identifcaiton number") with concatenat\$4	USPAT; US-PGPUB; EPO; JPO	2004/06/22 14:19
-	12	hash\$4 same encrypt\$4 same (id identification identifier) same (password pass\$phrase pin "personal identifcaiton number") same concatenat\$4	USPAT; US-PGPUB; EPO; JPO	2004/06/22 14:39
-	2054	authentic\$5 with user with pass\$5 with (server repository database)	USPAT; US-PGPUB; EPO; JPO	2004/06/22 15:00
-	30	authentic\$5 with user with pass\$5 with (repository)	USPAT; US-PGPUB; EPO; JPO	2004/06/22 14:57
-	13	authentic\$5 with user with pass\$5 with (repository)	USPAT; EPO; JPO	2004/06/22 14:40
-	1	10/051951	USPAT; US-PGPUB; EPO; JPO	2004/06/22 14:43
-	10	authentic\$5 with user with pass\$5 with (repository) not ginter.in.	USPAT; US-PGPUB; EPO; JPO	2004/06/22 14:59
-	99	authentic\$5 with user with pass\$5 with (server repository database) near2 (name address location identif\$6)	USPAT; US-PGPUB; EPO; JPO	2004/06/22 15:01
-	31	authentic\$5 with user with pass\$5 with (server repository database) near2 (name address location identif\$6)	USPAT	2004/06/22 15:37
-	27	decrypt\$4 with metadata	USPAT	2004/06/22 15:39
-	139	decrypt\$4 with data same apply with data	USPAT	2004/06/22 15:39
-	0	decrypt\$4 with data same apply with data with profile	USPAT	2004/06/22 15:39
-	13	decrypt\$4 with data same apply with data with user	USPAT	2004/06/22 15:53
-	0	decrypt\$4 with data with segment same apply with data with segment	USPAT	2004/06/22 15:43

-	1	("6546002").PN.	USPAT;	2004/06/22 16:33
-	4	decrypt\$4 with segment same apply\$4 with segment	EPO; JPO USPAT;	2004/06/22 16:34
-	0	decrypt\$4 with (data information) same apply\$4 with (data information) with profile	EPO; JPO USPAT;	2004/06/22 16:36
-	138	profile with management and encrypt\$4 and decrypt\$4	EPO; JPO USPAT;	2004/06/22 16:36
-	301	profile with (database repository) and encrypt\$4 and decrypt\$4	EPO; JPO USPAT;	2004/06/22 16:38
-	179	profile with (database repository) and encrypt\$4 and decrypt\$4 with (segments sections data information profile)	EPO; JPO USPAT;	2004/06/22 16:38
-	176	profile with (database repository) and encrypt\$4 with (segments sections data information profile) and decrypt\$4 with (segments sections data information profile)	EPO; JPO USPAT;	2004/06/22 16:39
-	114	profile with (database repository) and encrypt\$4 with (segments sections data information profile) and decrypt\$4 with (segments sections data information profile) and (707/\$.ccls. 713/\$.ccls. 380/\$.ccls. 705/\$.ccls. 709/\$.ccls.)	EPO; JPO USPAT;	2004/06/22 16:40
-	20	profile with (database repository) and encrypt\$4 with (segments sections data information profile) and decrypt\$4 with (segments sections data information profile) same apply and (707/\$.ccls. 713/\$.ccls. 380/\$.ccls. 705/\$.ccls. 709/\$.ccls.)	EPO; JPO USPAT;	2004/06/22 16:45
-	0	transfer with data with heuristic same user with profile	EPO; JPO USPAT;	2004/06/22 16:53
-	13	transfer with data with heuristic	EPO; JPO USPAT;	2004/06/22 16:53
-	1	("5710884").PN.	EPO; JPO USPAT;	2004/06/23 09:55
-	10	(US-6587836-\$ or US-6741987-\$ or US-6728359-\$ or US-6665659-\$ or US-6424979-\$ or US-6401094-\$ or US-6178443-\$ or US-6029196-\$ or US-6615244-\$ or US-5872915-\$).did.	USPAT	2004/06/23 10:15
-	1	((US-6587836-\$ or US-6741987-\$ or US-6728359-\$ or US-6665659-\$ or US-6424979-\$ or US-6401094-\$ or US-6178443-\$ or US-6029196-\$ or US-6615244-\$ or US-5872915-\$).did.) and decrypt\$4	USPAT	2004/06/23 10:15
-	0	decrypt with personal with profile same network with (server database) with profile	USPAT	2004/06/23 10:16
-	0	decrypt\$4 with personal with profile same network with (server database) with profile	USPAT	2004/06/23 10:16
-	0	decrypt\$4 with personal with profile same network with (server database)	USPAT	2004/06/23 10:16
-	1	decrypt\$4 with personal with profile	USPAT	2004/06/23 10:17
-	8	decrypt\$4 with profile same (server database repository) with profile	USPAT	2004/06/23 10:30
-	11	decrypt\$4 with profile same (server database repository) not (decrypt\$4 with profile same (server database repository) with profile)	USPAT	2004/06/23 10:34
-	7	decrypt with user with information same retrieve with user with information	USPAT	2004/06/23 10:39
-	16	download with (information profile data file) with server same decrypt\$4 with (information profile data file)	USPAT	2004/06/23 10:40
-	4	download with (information profile data file) with server same decrypt\$4 with (information profile data file) with user	USPAT	2004/06/23 10:45
-	12	(download with (information profile data file) with server same decrypt\$4 with (information profile data file)) not (download with (information profile data file) with server same decrypt\$4 with (information profile data file) with user)	USPAT	2004/06/23 11:00
-	26	user with profile with decrypt\$4	USPAT	2004/06/23 11:02
-	21	user with profile with decrypt\$4 not (decrypt\$4 with profile same (server database repository) with profile)	USPAT	2004/06/23 11:02
-	11	user with profile with decrypt\$4 not (decrypt\$4 with profile same (server database repository) with profile) not (decrypt\$4 with profile same (server database repository) not (decrypt\$4 with profile same (server database repository) with profile))	USPAT	2004/06/23 11:02
-	70	(common general) with command same different with (data file) with (format type)	USPAT; EPO; JPO	2004/06/23 14:58
-	11	(US-6587836-\$ or US-6424979-\$ or US-6401094-\$ or US-6178443-\$ or US-6029196-\$ or US-6741987-\$ or US-6728359-\$ or US-6665659-\$ or US-6615244-\$ or US-5872915-\$ or US-6119229-\$).did.	USPAT	2004/07/06 09:45

-	3	((US-6587836-\$ or US-6424979-\$ or US-6401094-\$ or US-6178443-\$ or US-6029196-\$ or US-6741987-\$ or US-6728359-\$ or US-6665659-\$ or US-6615244-\$ or US-5872915-\$ or US-6119229-\$).did.) and \$2crypt\$4	USPAT	2004/07/06 11:12
-	136	(user client workstation) with decrypt\$4 with (profile "user data")	USPAT	2004/07/06 11:13
-	0	(user client workstation) with decrypt\$4 with (profile "user data") same apply\$4 same receive	USPAT	2004/07/06 11:14
-	31	(user client workstation) with decrypt\$4 with (profile "user data") same (internet network lan)	USPAT	2004/07/06 11:18
-	12	(user client workstation) with decrypt\$4 with (profile "user data") same (internet network lan) and (707/\$.ccls. 705/\$.ccls. 709/\$.ccls.)	USPAT	2004/07/06 12:47
-	478	(get\$4 retriev\$4) with data with ("most likely to be used" heuristics context)	USPAT	2004/07/06 12:51
-	470	(get\$4 retriev\$4) with (data file information) with ("most likely to be used" heuristics context) same us\$4 with (data information file)	USPAT	2004/07/06 12:52
-	250	(get\$4 retriev\$4) with (data file information) with ("most likely to be used" heuristics context) same us\$4 with (data information file) and (707/\$.ccls. 705/\$.ccls. 709/\$.ccls.)	USPAT	2004/07/06 12:57
-	1	(get\$4 retriev\$4) with (data file information) with ("most likely to be used" heuristics context) same us\$4 with (data information file) same (page web form document) same heuristics and (707/\$.ccls. 705/\$.ccls. 709/\$.ccls.)	USPAT	2004/07/06 12:58
-	101	(get\$4 retriev\$4) with (data file information) with ("most likely to be used" heuristics context) same us\$4 with (data information file) same (page web form document) and (707/\$.ccls. 705/\$.ccls. 709/\$.ccls.)	USPAT	2004/07/06 13:05
-	2023	heuristics	USPAT	2004/07/06 13:06
-	0	heuristics with data adj retriv\$4	USPAT	2004/07/06 13:06
-	0	heuristics with retriv\$4	USPAT	2004/07/06 13:06
-	17	heuristics with retriev\$4	USPAT	2004/07/06 13:06
-	12	updat\$4 with user near2 (profile data info\$8) with decrypt\$6	USPAT; EPO; JPO	2004/07/06 14:11
-	1	synchroniz\$4 with user near2 (profile data info\$8) with decrypt\$6	USPAT; EPO; JPO	2004/07/06 14:15
-	624	user near2 (profile data info\$8) with decrypt\$6	USPAT; EPO; JPO	2004/07/06 14:16
-	321	user near2 (profile data info\$8) with decrypt\$6 near3 (user client)	USPAT; EPO; JPO	2004/07/06 14:18
-	10	user near2 (profile data info\$8) with decrypt\$6 near3 (user client) near computer	USPAT; EPO; JPO	2004/07/06 14:40
-	6	lock with (local user client) with (data profile information) same encrypt\$4 with (data file information) same transmit	USPAT; EPO; JPO	2004/07/06 14:58
-	1	10/051951	USPAT; US-PGPUB; EPO; JPO	2004/07/06 15:25
-	13	user with profile with heuristic	USPAT; US-PGPUB; EPO; JPO	2004/07/06 16:39
-	590	compar\$4 with document with (size larger smaller) and (identical "same")	USPAT; US-PGPUB; EPO; JPO	2004/07/06 16:58
-	101	compar\$4 with document with (size larger smaller) same (identical "same")	USPAT; US-PGPUB; EPO; JPO	2004/07/06 16:58
-	76	compar\$4 with document with (size larger smaller) same (identical "same" duplicate) with document	USPAT; US-PGPUB; EPO; JPO	2004/07/06 16:58
-	74	compar\$4 with file same (threshold limit) with size	USPAT; US-PGPUB; EPO; JPO	2004/07/06 16:59
-	7	compar\$4 with file same (threshold limit) with (size larger smaller) same (duplicate identical "same")	USPAT; US-PGPUB; EPO; JPO	2004/07/06 16:59
-	1	("5710884").PN.	USPAT; EPO; JPO	2004/07/07 10:20
-	1	((("5710884").PN.) and decryp\$	USPAT; EPO; JPO	2004/07/07 10:20

-	4	"6546002"	USPAT; US-PGPUB; EPO; JPO	2004/07/07 15:15
-	171	webdav	USPAT; US-PGPUB; EPO; JPO	2004/07/07 15:47
-	21	webdav and "user profile"	USPAT; US-PGPUB; EPO; JPO	2004/07/07 15:51
-	0	cdsa and "user profile"	USPAT; US-PGPUB; EPO; JPO	2004/07/07 16:10
-	47	cdsa	USPAT; EPO; JPO	2004/07/07 16:12
-	14	cdsa and (713/\$.ccls. 380/\$.ccls.)	USPAT; EPO; JPO	2004/07/07 16:44
-	14	cdsa and (713/\$.ccls. 380/\$.ccls. 707/\$.ccls.)	USPAT; EPO; JPO	2004/07/07 16:44
-	0	cdsa and (705/\$.ccls.)	USPAT; EPO; JPO	2004/07/07 16:45
-	4	cdsa and (709/\$.ccls.)	USPAT; EPO; JPO	2004/07/07 16:45
-	26	cdsa and profile	USPAT; US-PGPUB; EPO; JPO	2004/07/07 16:48
-	21	"common data security architecture"	USPAT; US-PGPUB; EPO; JPO	2004/07/07 16:49
-	3	"common data security architecture" and "profile"	USPAT; US-PGPUB; EPO; JPO	2004/07/07 17:13
-	104	lock\$4 same (synchroniz\$4 updat\$4) same encrypt\$4	USPAT; US-PGPUB; EPO; JPO	2004/07/07 17:14
-	28	lock\$4 with (synchroniz\$4 updat\$4) same encrypt\$4	USPAT; US-PGPUB; EPO; JPO	2004/07/07 17:30
-	4	((("6628313") or ("6396522") or ("6184884") or ("6636246"))).PN.	USPAT; EPO; JPO	2004/07/07 17:30
-	9	((("5148154") or ("5339390") or ("5303388") or ("5485197") or ("5515486") or ("5678015") or ("5838326") or ("6005579") or ("6016145"))).PN.	USPAT; EPO; JPO	2004/07/08 13:05
-	6	sum with hash with (fingerprint signature finger\$print)	USPAT; EPO; JPO	2004/07/08 16:25
-	6	(US-4993068-\$ or US-6546002-\$ or US-6490679-\$ or US-6628313-\$).did. or (US-20020077842-\$ or US-20030149781-\$).did.	USPAT; US-PGPUB	2004/07/15 16:20
-	2	((US-4993068-\$ or US-6546002-\$ or US-6490679-\$ or US-6628313-\$).did. or (US-20020077842-\$ or US-20030149781-\$).did.) and encrypt\$4	USPAT; EPO; JPO	2004/07/15 16:21
-	20	5710884.URPN. and encrypt\$4 with (updat\$4 transmit\$4 send\$4 database server)	USPAT; EPO; JPO	2004/07/15 16:35
-	1	("5710884").PN.	USPAT; EPO; JPO	2004/07/16 09:15
-	1	("6546002").PN.	USPAT; EPO; JPO	2004/07/16 10:48
-	125	updat\$4 with profile with (logout complet\$6 terminat\$6)	USPAT; EPO; JPO	2004/07/16 10:53
-	44	updat\$4 with (user local system) with profile with (logout complet\$6 terminat\$6)	USPAT; EPO; JPO	2004/07/16 10:54
-	71	(alternative choose several different) with data with form with fill\$4	USPAT; EPO; JPO	2004/07/16 11:47
-	1	(alternative choose several different) with list with data with form with fill\$4	USPAT; EPO; JPO	2004/07/16 11:45
-	12	(alternative choose several different) with data with form with fill\$4 and (707/\$.ccls. 705/\$.ccls. 709/\$.ccls.)	USPAT; EPO; JPO	2004/07/16 13:13
-	5	fill\$4 with form same list with choices	USPAT; EPO; JPO	2004/07/16 13:19

-	74	fill\$4 with (form template) same user with profile	USPAT; EPO; JPO	2004/07/16 13:20
-	13	fill\$4 with (form template) same user with profile with data	USPAT; EPO; JPO	2004/07/16 13:55
-	748442	user (profile database) same form with (fill\$4 complete) with (choice option select)	USPAT; EPO; JPO	2004/07/16 14:01
-	20	user with (profile database) same form with (fill\$4 complete) with (choice option select)	USPAT; EPO; JPO	2004/07/16 14:13
-	20	profile with fill\$4 with form with (choose choice option select\$4)	USPAT; EPO; JPO	2004/07/16 14:38
-	11	(pass\$word pass\$phrase pin) with obfuscate\$4	USPAT; EPO; JPO	2004/07/16 14:43
-	1	10/051951	USPAT; US-PGPUB; EPO; JPO	2004/07/16 14:47
-	1453	display with (pass\$word pass\$phrase pin) with (choose select\$4 option)	USPAT; US-PGPUB; EPO; JPO	2004/07/16 14:51
-	3	display with (pass\$word pass\$phrase pin) with (choose select\$4 option) with asterisk	USPAT; US-PGPUB; EPO; JPO	2004/07/16 14:52
-	220	display near2 (pass\$word pass\$phrase pin) with (choose select\$4 option)	USPAT; US-PGPUB; EPO; JPO	2004/07/16 14:52
-	68	display near2 (pass\$word pass\$phrase pin) with (choose select\$4 option) with (client user)	USPAT; US-PGPUB; EPO; JPO	2004/07/16 14:53
-	32	lock with (client local system) with (data information) same update with (database server)	USPAT; EPO; JPO	2004/07/16 15:35
-	0	hash with user with (id identifier identification) with concatenate\$4 with encrypt\$4 with (password passphrase pin)	USPAT; EPO; JPO	2004/07/19 13:01
-	4	hash same user same (id identifier identification) same concatenate\$4 same encrypt\$4 same (password passphrase pin)	USPAT; EPO; JPO	2004/07/19 12:52
-	1	hash with user with (id identifier identification) with concatenate\$4 with encrypt\$4 with (password passphrase pin)	USPAT; US-PGPUB; EPO; JPO	2004/07/19 13:01
-	9	lock\$4 with (local client) with (data\$store data\$base information repository) same transmit\$4 with (data file information segment) same unlock\$4 with (local client) with (data\$store data\$base information repository)	USPAT; US-PGPUB; EPO; JPO	2004/07/21 13:06
-	2	stop\$4 with (local client) with (update\$4 process\$4) same (transmit\$4 send\$4) with (data file information) same resum\$4 with (local client) with (process\$4 update\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/21 13:03
-	15	lock\$4 with (local client) with (data\$store data\$base information repository) same (transmit\$4 send\$4) with (data file information segment) same unlock\$4 with (local client) with (data\$store data\$base information repository)	USPAT; US-PGPUB; EPO; JPO	2004/07/21 13:07
-	6	lock\$4 with (local client) with (data\$store data\$base information repository) same (transmit\$4 send\$4) with (data file information segment) same unlock\$4 with (local client) with (data\$store data\$base information repository) not (lock\$4 with (local client) with (data\$store data\$base information repository) same transmit\$4 with (data file information segment) same unlock\$4 with (local client) with (data\$store data\$base information repository))	USPAT; US-PGPUB; EPO; JPO	2004/07/21 13:11
-	113	ask\$4 with (user client) with display\$4 with (pass\$word pass\$phrase pin)	USPAT; US-PGPUB; EPO; JPO	2004/07/21 14:08
-	1	safe with show with password	USPAT; US-PGPUB; EPO; JPO	2004/07/21 14:13
-	2	hash with (id identify\$4) with concatenate\$4 with (pass\$word pass\$phrase pin)	USPAT; US-PGPUB; EPO; JPO	2004/07/21 14:23
-	1	hash with ID with (concatenated combined added) with encrypted with (pass\$phrase pass\$word pin)	USPAT; US-PGPUB; EPO; JPO	2004/07/21 14:40

-	1	user with id with hash same hash with host same encryp\$4 with (pass\$phrase pass\$word pin)	USPAT; US-PGPUB; EPO; JPO	2004/07/21 16:25
-	2	(pass\$word pin pass\$phrase) with (non\$obfuscate\$4 un\$obfuscate\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/21 16:54